त्रिमूर्ति®

सुंदरता की पहचान

Trimurti Wallcare Products

www.trimurtiproducts.com

ABOUT US

त्रिमूर्ति®
सुंदरता की पहचान

"If one thinks about wall care products, the name Trimurti must flash through their minds."

That was the vision with which Mr. Manik Gupta & Mr. Rahul Gupta laid the foundation of Trimurti in 2004. Since then we have come a long way. Over the course of more than 2 decades we have, in fact, become the one-stop-shop for Plaster of Paris (P.O.P.), Wall Putty, One Coat Gypsum Plaster, Ceiling products, Quick Bond, Decorative White Cement & Tile Adhesive. We are one of the leading Manufacturers and exporters in India.

Trimurti has a competent workforce of skilled and talented people who make this company a well-lubricated single machine, that works efficiently to service their clients anytime and in any capacity. Trimurti has set its quality standards equivalent to the international Standards, so that our consumers can get world-class products locally. Our focus has always been consumer-centric and we work relentlessly to make better living opportunities, homes, environment, and community. This approach and our corporate professionalism have given Trimurti an exponential growth and created an enviable rapport among our clients which made us the most trusted and preferred brand among Builders, Architects, Interior Decorators, and Contractors.

Trimurti also invests in research and development of its products. We make sure that innovation and creativity are not lost in our products and go hand in hand as suitable for our clients' needs. Trimurti also believes in preserving the resources for future generations which is why the research team always tries to find out the highest quality raw material and superior yet sustainable technologies to work with. After all, our products bring infrastructures a beauty that lasts.

Trimurti is an ISO 9001 : 2015 & 14001 : 2015 certified and ISI .accredited company. Trimurti has it's headquarter in New Delhi with the production facilities in Bikaner and Alwar, Rajasthan. Trimurti is active in more than a dozen regions of India including Punjab, Uttarakhand, Haryana, New Delhi, UP, Bihar, Assam, Rajasthan, Gujarat, Bhopal, Chhattisgarh, Karnataka, Pune, and Mumbai. Our first-rate portfolio of brands includes Amrapali Group, Delhi Development Authority, Hilton Hotels & Resorts, DLF, L&T, TAJ, DMRC, and many more.



Mission

To keep a consistent growth in connecting with the people of India and become a one stop solution for all their wall care product requirements.

Vision

To become India's global face of the best wall care products In the entire nation and take the Indian gypsum quality to the world stage with the trust of people in trimurti wall finishing products.

DIRECTOR'S MESSAGE

Mr. Manik Gupta
Trimurti Wall Care Products Pvt Ltd.

Our religious scriptures have a famous saying of "Vasudhaiva Kutumbakam" which means "The whole world is one family", and that exactly is Trimurti's vision here. When Trimurti treats the world as one family, it cares for it like its own. So, the products which Trimurti develops are not just the best but also sustainable. The vision helps Trimurti to hold its ground and still have no limits to their reach.

Trimurti started back in 2004 and a lot has changed since then but the core fundamentals have never changed. We believe in customer satisfaction as we are here for a long haul. If a customer is satisfied with Trimurti's products, then and only then they are going to come back to us. And that satisfied customer is the best investment one can do to advertise their products. That's why we focus strongly on understanding the needs of a customer because it might look that all the buildings you see are made from similar materials but it's not the truth. Be it a Builder, Architect, Interior Decorator or a Contractor, every client has their own vision about their creation and we respect that. Hence, we dedicate a whole team of experts to deal with a particular client. It helps us understand them better and build trust.

One of the most important aspects of our working approach is to "Think Green". Trimurti doesn't work just for profit but for society as well. That is the reason we try to minimise the carbon footprint and chemical waste the industry creates. It starts with our choices of raw materials to energy consumption to low emission and so on. We see to it that "Vasudhaiva Kutumbakam" is realized and protected.

Mr. Rahul Gupta
Trimurti Wall Care Products Pvt Ltd.

There is a reason why we are called Trimurti. Trimurti in its pure sense is the triad of our supreme divinity Lord Brahma – The Creator, Lord Vishnu – The Preserver and Lord Shiva – The Destroyer. And as we are in the construction industry, we treat these three with the utmost respect. Trimurti believes that the combination of these three divine powers is a necessity in the construction industry.

We start with the creation and focus that it is beautiful and long-lasting but we also keep in mind that the destroying power of our nature is stronger so we put extra research and efforts to make our products strong enough to survive any situation. Take any of Trimurti's products like P.O.P, Wall Putty & Tile Adhesive etc., We create each of them keeping the divine trinity in our thoughts.

Trimurti started with the idea of helping people create their own world, achieve their dreams and most importantly create it beautifully. So, our products are not just strong and sustainable but it beautifies the overall structure. Who doesn't want their homes, offices, hotels, highways, etc. to look like a masterpiece?

We also want our clients to receive the best product timely and without any discrepancy so we don't only manufacture the said products but also export, distribute, and supply them all over the world. So that you get what you paid for and as quickly as possible. The exponential growth of our company in such a small duration has proven that until now our thoughts and approach are in the right place and our customers are happy. Our vision is to keep them happy and continue with the path shown to us by the divine trinity, i.e. Trimurti.

Certifications

Superior product quality is the first priority to us and we make no compromise whatsoever to achieve the same. Stringent quality tests are performed at various levels of production, supervised by competitive quality controllers. Under the shade of our well equipped quality control unit, we make sure that not even a whisker is missed in quality checks, leaving no scope of errors to creep. We take pride in the fact that our products are ISO 9001:2015 & 14001:2015 certified and ISI accredited and that is what inspires us to walk an extra mile towards achieving greater heights of product quality.

ISO 9001:2015
The Quality Management System

ISO 14001:2015
The Environmental
Management System

Certificate of Enlistment
Construction Industry Development Council

Local For Vocal Atmanirbhar bharat 2021
Dainik Jagran

Users Choice 2021
Just Dial

Best Emerging Company of The Year
Nation Wide Awards 2020

Infrastructure

The company has grown rapidly in a short span of time with its headquarter in New Delhi. Keeping in mind the pros and cons, our infrastructure set up is a result of a well-engineered thought process. Our manufacturing unit is spread over a gigantic area of 15000 square meters in Bikaner, Rajasthan, which is the heart of India's best raw gypsum mines. Also, we acquire another plant in the industrial area of Alwar to achieve more productivity in no time. It is an amalgamation of wide-area, top-class machines and well-equipped laboratories with industry professionals which ensure consistency in product quality in the required amount of production 24x7, 365 days of the year.

Our USP's

Our journey to the pinnacle of success is backed by our high-quality range of products. We have earned a good amount of reputation amongst our clients, owing to the timely delivery of the products that we offer at competitive rates. We also strive to achieve maximum client satisfaction with our high-quality products and services. Some of the factors that have contributed to our remarkable growth in the competitive markets of the day are as follows:

- State-Of-The-Art Facilities
- Team of Experienced Professionals
- Timely Delivery
- Competitive Prices
- Rich Vendor Base
- Vast Industrial Experience
- Ethical Business Dealings
- Customization
- Spacious Warehousing Facility
- Cutting Edge Technology
- Wide Distribution Network
- ISO 9001:2015 & 14001:2015
- ISI Certified
- CIDC (Construction Industry Development Council)

OUR PRODUCTS

Plaster of Paris

Trimurti Plaster Of Paris is most suitable for the application of internal plastering system as punning of walls and ceiling and all decorative works like cornices, moldings, and arches. Apart from this, it also has a false ceiling system also. Finishing defines the appearance and durability of the structure. Plaster of Paris (POP) is helpful in giving your house a desirable finish. Made out of high-quality Gypsum, Trimurti Plaster of Paris (POP) is a white-colored powder used for applying early coats to the interior walls and shaping the structure or creating casts. The best part of Trimurti POP is that it hardens Slowly with extra coverage and impurities-free features which makes it favorable to the construction teams and saves their time. Trimurti is one of the largest and best quality Plaster of Paris manufacturers in India.

Smooth Finish

Less Paint Consumption

IS : 2547
PART-I
CM/L-3023835

Gypsum Plaster (P.O.P.)

General Specifications

Setting Time	**15-20 min.**
Residue	**4% – 5%**
Whiteness	**70% – 72%**
ISO Certified	**Yes**
ISI Certified	**Yes**
Wastage	**NIL**
Transverse Strength (kg/cm²)	**16-20**
Compressive Strength (N/mm²)	**2-4**
Density (kg/m³)	**750-800**
Coverage - 1 kg	**1 sq. ft. with 12 mm thickness**
Shelf Life	**12 months**

(*All tested results are under lab condition)

Available in
1kg, 2kg, 20kg, 25kg, 40kg

Expert Plaster (P.O.P.)

Trimurti also produces the Expert Plaster (POP) and is the market leader of manufacturers and suppliers. Expert POP provides extra whiteness, reduces dead weight, and expands coverage. What makes Trimurti Expert POP the best is the scientific research involved in producing this international standard Expert Plaster. Our scientists ensure the use of the best raw material in perfect quantities so that it doesn't crack or shrink after hardening. Also, the quick-drying helps it become durable and increases its length of service. Once applied, it will protect and beautify the building for years and without any constant maintenance.

- Super White & Super Strength
- Extra Coverage
- Made From Imported GYPSUM
- Special Power Packing

General Specifications:

Setting Time	**15-20 min**
Residue	**2% – 4%**
Whiteness	**75% – 80%**
ISO Certified	**Yes**
ISI Certified	**Yes**
Wastage	**NIL**
Transverse Strength (kg/cm²)	**18 -22**
Compressive Strength (N/mm²)	**3 - 5**
Coverage - 1 kg	**1.25 sq. ft. with 12 mm thickness**
Shelf Life	**12 months**

IS : 2547
PART-I
CM/L-3023835

(*All tested results are under lab condition)

Available in 25kg

Wall Putty

Trimurti wall putty is a water-resistant white polymer-based putty that provides strong base on concrete, mortar walls, and ceiling. It is applied on both interior and exterior before painting. It fills the fine pores of the wall and ceiling, therefore providing a white, smooth, and dry surface for painting. We are the leading manufacturers of a wide range of Wall Putty. created with an international grade formulation which reduces the capillary water absorption for years and protects the wall from external damages. Trimurti offered Wall Putty using Korean polymer and high-quality white cement, which gives a longer life span and strengthens the wall. Also, it is highly resistant to water, so it increases the life of the paint as well as the wall.

- Water Resistant
- Interior & Exterior
- Less Paint Consumption
- Smooth Finish
- Made with Korean & German Polymers

White Cement Based Putty

General Specifications:

Water Demand	**35 - 40%**
Compressive Strength (N/mm²) (28 days)	**6-7**
Tensile strength (N/mm²) (28 days)	**.75-1**
Coating Thickness	**1 -1.5 mm**
Coverage	**15- 18 sq. ft./kg for 2 coat**
Whiteness	**85-90%**
Pot Life	**2 - 3 Hours**

(*All tested results are under lab condition)

Available in
1kg, 5kg, 20kg, 40kg

Expert Putty

Expert Wall Putty is an advanced version of Trimurti Wall Putty. Trimurti Expert Wall Putty is a German polymer-based wall care product. It is specifically developed to give final finishing touches to the walls and ceilings in order to make them ready to paint. It covers unevenness and pinholes from the surfaces and makes them smooth. It is applied just before the final paint to increase the longevity of the paint and provide a snow-white finish. Our Expert Wall Putty can be used for both exterior and interior finishing.

Available in 20kg, 40kg

General Specifications:

Water Demand	**35 - 40%**
Compressive Strength (N/mm²) (28 days)	**7-8**
Tensile Strength (N/mm²) (28 days)	**1 - 1.5**
Coating Thickness	**1 - 1.5 mm**
Coverage	**18 - 20 sq. ft./kg for 2 coat**
Pot Life	**2 - 3 Hours**

(*All tested results are underlab condition)

For Interior & Exterior Walls

Made with Germen polymers

No Curing Required

Superior Wall Putty

Trimurti has always made sure to improve in its quality and bring to you the best performing wall care products such as Superior wall putty. Its anti-carbonate properties bind it strongly with the base and give a true tone to the color. It is highly successful in interior walls, exterior walls, wall segments, and repainting of the walls. The supreme quality pigments give your walls a high-end snow-white finish. It is one tested solution to assure you with beautiful walls that fill the desire of your dream house.

- Water Resistant
- Enhance Adhesion
- Smooth Finish
- Prevent Flakings

General Specifications:

Water Demand	**35 - 40%**
Compressive Strength (N/mm²) (28 days)	**6-7**
Tensile strength (N/mm²) (28 days)	**.75-1**
Coating Thickness	**1 -1.5 mm**
Coverage	**15- 18 sq. ft./kg for 2 coat**
Whiteness	**85-90%**
Pot Life	**2 - 3 Hours**

(*All tested results are under lab condition)

Available in 20kg, 40kg

One Coat Gypsum Plaster (Vermiculite Based)

Trimurti's One Coat Gypsum Plaster is a Vermiculite gypsum-based plaster created to offer a better approach to traditional plastering. It can deliver thrice more insulating capacity than others. Plaster As the name suggests, you only need a single coat of Trimurti plaster to the brick wall and its finish. It is suitable for internal surfaces which include bricks, blocks, and concrete walls. It is a premixed single coat plaster that eliminates sand, cement, and POP application.

No Water Curing

Shrinkage Cracks

	QUALITY ASSURANCE	DIRECT APPLICATION	LINE & LEVEL	SMOOTH FINISH	TIME SAVING	WATER CURING	SHRINKAGE CRACKS	FIRE RESISTANT	HEAT RESISTANT
Sand Cement Plaster	—	✓	—	—	—	✓	✓	X	X
P.O.P.	✓	—	✓	✓	—	Does Not Require	✓	X	X
Trimurti One Coat Gypsum Plaster	✓	✓	✓	✓	✓	Does Not Require	Does Not Appear	✓	✓

General Specifications: (Vermiculite Based)

Color of Finished Surface	**Super White**
Density kg/m³ (Max)	**760-780**
Setting Time	**20 - 25 mins.**
Compressive strength (N/mm²)	**3 - 6**
Coverage - 40kg	**30-32 sq. ft.**
Transverse Strength (kg/cm²)	**24-40**
Self Life	**12 months**

(*All tested results are under lab condition)

Available in 40kg

One Coat Gypsum Plaster (Perlite Based)

Trimurti's One Coat Gypsum Plaster is a Perlite gypsum-based plaster created to offer a better approach to traditional plastering. It can deliver thrice more insulating capacity than others. Plaster As the name suggests, you only need a single coat of Trimurti plaster to the brick wall and its finish. It is suitable for internal surfaces which include bricks, blocks, and concrete walls. It is a premixed single coat plaster that eliminates sand, cement, and POP application.

No Water Curing

Shrinkage Cracks

	QUALITY ASSURANCE	DIRECT APPLICATION	LINE & LEVEL	SMOOTH FINISH	TIME SAVING	WATER CURING	SHRINKAGE CRACKS	FIRE RESISTANT	HEAT RESISTANT
Sand Cement Plaster	—	✓	—	—	—	✓	✓	X	X
P.O.P.	✓	—	✓	✓	—	Does Not Require	✓	X	X
Trimurti One Coat Gypsum Plaster	✓	✓	✓	✓	✓	Does Not Require	Does Not Appear	✓	✓

General Specifications: (Perlite Based)

Color of Finished Surface	**Super White**
Density kg/m³ (Max)	**760-780**
Setting Time	**20 - 25 mins.**
Compressive strength (N/mm²)	**3 - 6**
Coverage - 40kg	**30-32 sq. ft.**
Transverse Strength (kg/cm²)	**24-40**
Self Life	**12 months**

(*All tested results are under lab condition)

Available in 40kg

Quick Bond

Trimurti is the leading manufacturer of the highest quality Quick Bond which increases pull out strength by 20 times in comparison with conventional hacking process. Trimurti Quick Bond is a high-performance bonding agent for gypsum and sand cement plaster that can be applied on any concrete surfaces like RCC columns, beams, slabs, shear walls, or any other low-suction surfaces.

It is a faster bonding agent that enables preparation of ceiling and wall surfaces under 24 hours' time.

It also has a dual bonding feature that provides mechanical as well as chemical grip and eliminates the risk of debonding gypsum or sand cement plaster

- Ready To Use
- Applied On Any Concrete Surface
- Dual Bonding
- Green Colour — Makes Identification Easy

Coverage -1 kg 30 - 35 sq. ft.

Water should not be added at any point of time

Application Instruction

- Open & Stir The Contents
- Apply with a roller
- Dry for 24 hrs. surface ready for plastering

Available in

1kg, 5kg, 10 kg, 20kg,

AAC Block Joining Mortar

Trimurti AAC Block Joining Mortar is a ready-to-mix, self-curing cementitious mortar for laying of AAC, CLC, Hollow concrete block, and bricks. It's a factory-made premixed mortar blended with carefully selected raw materials such as graded sand, mineral binders, and ordinary Portland cement (OPC) in combination with selected polymeric additives which help in providing mechanical bond and adhesion between the blocks and block to the surface. Designed for use with water to produce high-strength thixotropic mortar. PRODUCT DESCRIPTION Trimurti Block Joining Mortar manufactured by following strict quality norms and is in compliance with C 1660-09 ASTM standards (www.astm.org), a worldwide standard followed for thin-bed mortar for autoclaved aerated concrete masonry that meets the requirements of National and International standards.

- No Curing
- Strong Bond
- High-Coverage
- Non-Toxic



Key Features

- **High Strength (tensile splitting strength)**
- **Self- curing**
- **Flexible & improved workability**
- **Less storage space**
- **Construction accuracy**
- **Fast construction & higher productivity**

Coverage in 30kg : 1 column made black with 3 mm thickness

Available in : 30 kg

Tile Adhesive (Silver)

Trimurti Silver tile adhesive is a very niche product to specifically encounter the needs of Interior tile fixing solutions for your homes and offices. It is a proven value for money formula that is widely in use for its Interior floor tiles feature that gives it sustainability for many years to come. Its high bonding quality enhances its workability and maximizes the coverage. With a low settling time, it increases the reasonability of price

General Specifications:

Appearance	**Grey powder**
Open time @ 30 degrees	**Around 30 minutes**
Pot life @ 30 degrees	**Approx 2 hours**
Coverage	**Approx 50-55 sq. ft./ 20 kg bag with 3 mm thickness**
Final curing time @30 degrees	**14 days**
Wet density	**Around 1.6 gm/cc**
Compression strength (N/mm²)	**Around 10**
Flexibility strength (N/mm²)	**Around 5**

(*All tested results are under lab condition)

Available in : 20 kg

- Super Flexibility
- Environment Friendly
- Fast Setting

Usage

Silver Plus

Exterior Floor Tiles

Interior Floor Tiles

Tile On Tile

Silver

Interior Floor Tiles

Tile Adhesive (Gold)

Manufactured with high precision with selected pigments and special aggregates, the chosen product is a perfect fit behind stones and various types of tiles like ceramic, marble, mosaic, homogenous e.t.c. It's a premixed material that is very easy to use with joint filling properties. The sag-resistant feature solves your hesitation of choosing particular tiles without the fear of them falling down from the wall.

General Specifications:

Appearance	**Grey powder**
Open time @ 30 degrees	**Around 30 minutes**
Pot life @ 30 degrees	**Approx 2 hours**
Coverage	**Approx 50-55 sq. ft./ 20 kg bag with 3 mm thickness**
Final curing time @30 degrees	**14 days**
Wet density	**Around 1.6 gm/cc**
Compression strength (N/mm²)	**Around 10**
Flexibility strength (N/mm²)	**Around 5**

(*All tested results are under lab condition)

Water Resistant

Non Toxic

Fast Setting

Usage

Gold Plus

Exterior Wall Tiles

Interior Floor Tiles

Interior Wall Tiles

Interior Floor Stone

Interior Wall Stone

Exterior Floor Tiles

Exterior Floor Stone

Exterior Wall Stone

Gold

Interior Wall Tiles

Interior Floor Tiles

Exterior Floor Tiles

Interior Floor stone

Exterior Floor Stone

Available in : 20 kg

Tile Adhesive (Platinum)

Adding a final touch of makeover by putting fashioned tiles can be a sophisticated idea, for which our exclusive tile adhesive formulation is applicable in various functionalities for all kinds ceramic and porcelain tiles. It serves a greater purpose of holding tiles onto the surface, be it on the flat ground or on the vertical wall,and sticks them hard so they they never fall off. Offering a great strength and bonding for longer life, our tile adhesive is useful in fixing tiles to walls, tile on tile, floor and wall stones, swimming pool tiles, roofing tiles, flooring tiles, partition tiles - be it interior or exterior.

Slide Resistant

Fast Setting

Improve Pasting efficiency

General Specifications:

Appearance	**White powder**
Open time @ 30 degrees	**Around 30 minutes**
Pot life @ 30 degrees	**Approx 2 hours**
Coverage	**Approx 50-55 sq. ft./ 20 kg bag with 3 mm thickness**
Final curing time @30 degrees	**14 days**
Wet density	**Around 1.6 gm/cc**
Compression strength (N/mm²)	**Around 10**
Flexibility strength (N/mm²)	**Around 5**

(*All tested results are under lab condition)

Usage

Glass Mosaic Tiles

Swimming Pool Tiles

Interior Floor Tiles
Interior Wall Tiles
Interior Floor Stone
Interior Wall Stone
Exterior Floor Tiles
Exterior Wall Tiles
Exterior Floor Stone
Exterior Wall Stone

Available in : 20 kg

Decorative White Cement

Made with added polymers and white aggregates, Trimurti white cement is highly applicable in interior and exterior walls to provide high bonding and extra whiteness to your walls. It can help you with placing suitable layering on marbles and mixes easily with dry plaster and mortar. It can add a positive approach to a wide range of colors, textures, and shapes and can also be useful for decorative paints, ornaments, tiles, and terrazzo flooring. It is highly acceptable in making your walls resistant to external elements and provides a smooth base for the paints to put on for a premium finish.

Fills Crack

Enhance Adhesion

Interior & Exterior Walls

FEATURES

- First Class Limestone Used
- Superior Bonding
- Reinforce Application

BENEFITS

- Smooth Matte Finish
- Extra Whiteness
- High Strength

Available in : 1kg, 5kg, 25kg & 50kg

AAC Blocks

Trimurti wall care products are offering the best in quality autoclaved aerated concrete Blocks that are lightweight concrete. It is made up of water, cement, calcined gypsum, quartz sand, aluminum powder, and quicklime that gives you a durable block wall at a very economical price. It is suitable for interior and exterior construction and can be coated with plaster or painted directly. AAC is highly recognized for high-rise buildings for high-temperature fluctuations. Its low-density feature allows less requirement of steel and concrete for structural material in a high-rise building.

General Specifications:

Size -	**600 x 200 x (75 to 300) mm**
Size Tolerance -	**± 1.5 mm**
Compressive Strength	**3 – 4.5 (IS 2185 part 3) N/mm 2**
Normal Dry Density	**550 – 650 Kg / m 3**
Sound Reduction Index	**45 for 200 mm Thick Wall DB**
Fire Resistance	**2 to 6 (Depending on Thickness) Hrs.**
Thermal Conductivity "K"	**0.16 – 0.18 W / m-k**
Drying Shrinkage	**0.04% (Size of block) %**

(*All tested results are under lab condition)

- Heat, sound, & fire-resistant
- Highly Durable
- lightweight
- Offers flexibility, & workability

FEATURES

- Sound Proof
- Thermal Insulation
- Earthquake Resistant
- Floor Space Area
- Fire Resistant
- Cost Saving
- Water Barrier

Premium Grey Cement

Trimurti Premium Grey cement has the presence of high amounts of iron, manganese, and chromium oxide. Grey cement is widely functional for construction purposes such as bridges, culverts, dams, tunnels, lighthouses, wells, water tanks, tennis courts, lamp posts, telephone cabins, roads. It's long-lasting features give it a higher strength for holding the molecules together and stay put for long on the constructed site. The Trimurti Grey cement is resistant to external elements and provides a smooth base for the paints to put on for a premium finish.

FEATURES

- Eco- friendly
- Water-resistant
- Easy to apply
- Highly efficient

BENEFITS

- Non-Toxic
- Longevity
- No wastage
- Super Adhesion

High Strength

Super Flexible

Environment Friendly

Celling Products

- Supreme quality
- Durable
- Easy Installation
- Anti-corrosive
- Dimensional Accuracy
- Sizes: 6 X 19mm | 6 X 25mm
- 1000 pcs./box

POP Screws & Nails

Our offered POP screws are used to secure gypsum board to wood and are suitable to attach drywall to metal studs. It is available with us in different sizes and specifications to meet the changing demands of the clients. These POP screws have features like anti-corrosive, dimensional accuracy. They have a smooth finish and are easy to fit.

POP Channel

Our durable POP channels are an ideal solution for the requirement of a false ceiling to decor your homes more than just simple. These are ideal to maximize strength, are easy to use, sophisticated finish, and are available with us in several fashionable designs that have the longer-lasting ability.

- High Strength
- Material: Aluminum
- Logo Engraved
- ISI Mark
- Thickness : 0.5mm
- Available in : 8ft &12ft

Fastener

Our broad range of Fasteners are demanded their features like abrasion resistance and dimensional accuracy. These are tested on different parameters by our diligent quality controllers to ensure their robustness. They acquire features like sturdy construction, easy installation, lightweight, and durability.

- Abrasion Resistant
- Dimensional Accuracy
- Robust
- Easy Installation
- Light Weight
- Size : 6mm

- Durable Wire Mesh
- High Tensile Strength
- Superior Quality
- Easy Installation
- Width: 3ft | Length: 50ft
- Available in : 6.5kg, 7.5kg & 8.5kg

P.O.P. Jali

Trimurti POP jali is a suitable solution to give a better hold to the POP while making a false ceiling. It is certainly helpful to strengthen the POP and reach your goal of getting a fashionable design.

Clients

Our hard and enthusiasm has taken us miles to work all so many ideal institutions and profiles that has given us a chance to explore a wide and long path together.

Distribution

Superior product quality is the first priority to us and we make no compromise what so ever to achieve the same. Stringent quality tests are performed at various levels of production, supervised by competitive quality controllers. Under the shade of our well equipped quality control unit, we make sure that, not even a whisker is missed in quality checks, leaving no scope of errors to creep. We take pride in the fact that our products are ISO 9001:2015 certified and ISI accredited and that is what inspires us to walk an extra mile towards achieving greater heights of product quality.

Presence

We are a Nationwide leading manufacturer and exporter of Plaster Of Paris (P.O.P), Wall Putty, One Coat Gypsum Plaster and a wide application in varied industries. Trimurti has been a trusted name across the country that has helped us reach to many people.

TRIMURTI®

SUNDARTA KI PEHCHAN

Trimurti Wall Care Products Pvt. Ltd.

www.trimurtiproducts.com

Work Office

- H1-742/743, Matsya Industrial Area, Alwar, Rajasthan-301030
- G-1/322, I.G.C. Khara, Bikaner, Rajasthan-334601

Head Office

177/178, Vardhman Market Plaza
Plot No. 30, Rani Bagh, Pitampura
New Delhi - 110034

011-45556144

Connect with us

1800-1200-620

info@trimurtiproducts.com